



POLICON
Engineering & Manufacturing

Viscous Dispenser (Liquid Soap)

Viscous Dispenser (Liquid Soap)






Description: Dosing of viscous products in containers.

- Product supply from one or two continuous pumps for one or two-color ice cream;
- A set of quick-detachable nozzles for a wide range of products;
- Receiving different doses at different workplaces;
- Exact adjustment of a dose;
- Dose regulation is carried out for each position separately by changing the dosing time;
- Possibility of packing from a glass to a bucket.



Viscous Dispenser (Liquid Soap)



Technical Specification:

Dosing Method:.....	Temporary
Dose volume, ml:.....	from 50
Dosing error, max,%.....	2
Electric power supply, V / H.....	24 or 220/50
Air pressure, MPa.....	0,4 - 0,6
Diameter of inlet nozzles, mm.....	38
Overall dimensions, mm:	
length.....	760
width.....	650
height.....	600
Weight, kg.....	49
Number of operators	2 operators

This product can be manufactured according to the technical specifications of the customer, taking into account its predetermined parameters and features.

Full cycle engineering services

Food Machinery

Machinery for tires, rubber, plastics manufacturing

Machinery for the chemical and oil and gas industry

Machinery for the perfumery and cosmetic industry

Modernization and automation of production

Non-standart equipment

Production of spare parts, components, assemblies

Outsourcing services - repair and maintenance of equipment



Policon JSCo

194 Lermontov Str, Omsk 644009, Russia

Tel./Fax: +7 (3812) 36 74 12, 36 74 02, 48 48 30

e-mail: info@policon-rt.ru

www.policon-rt.ru